

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

"client-side" AND "application programming in

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 64 for "[client-side](#)" AND "[application programming interface](#)" AND "[parameter object](#)" AND [serializing](#) AND

[APPARATUS AND METHOD FOR IMPLEMENTING A NETWORK PROTOCOL THAT ...](#)

As a result, the method invocation can be **serialized** and transmitted over a network as a single object, which can then be **deserialized** into its original ...

[www.patentstorm.us/patents/6412010-description.html](http://www.patentstorm.us/patents/6412010-description.html) - 49k -

[Cached](#) - [Similar pages](#)

[Apparatus and method for a runtime method overloading resolver ...](#)

Likewise, an object can be re-created, or **deserialized**, by passing it to a ... represents a **parameter object** in its **serialized** form (i.e., in bytes). ...

[www.patentstorm.us/patents/6415434-description.html](http://www.patentstorm.us/patents/6415434-description.html) - 69k -

[Cached](#) - [Similar pages](#)

[Apparatus and method for a runtime method overloading resolver ...](#)

ii. **deserializing** each of said variable number of **serialized** objects into .... method 100 to an **application programming interface** file 128 to retrieve 126 ...

[www.freepatentsonline.com/6415434.html](http://www.freepatentsonline.com/6415434.html) - 80k - [Cached](#) - [Similar pages](#)

[APPARATUS AND METHOD FOR IMPLEMENTING A NETWORK PROTOCOL THAT ...](#)

ii. **deserializing** each of said variable number of **serialized** objects into said .... represents a **parameter object** in its **serialized** form (i.e., in bytes). ...

[www.wikipatents.com/6412010.html](http://www.wikipatents.com/6412010.html) - 162k - [Cached](#) - [Similar pages](#)

[InterviewQuest](#)

**Serialization/Deserialization** is mostly used to transport objects (e.g. .... Use a single **application programming interface** (API) to perform tasks on ...

[www.scribd.com/doc/72855/InterviewQuest](http://www.scribd.com/doc/72855/InterviewQuest) - 386k - [Cached](#) - [Similar pages](#)

[.Net Interview Questions](#)

Xml **Serialization/Deserialization** using Base64Encoding in . .... Use a single **application programming interface** (API) to perform tasks on multiple ...

[www.scribd.com/doc/72849/Net-Interview-Questions](http://www.scribd.com/doc/72849/Net-Interview-Questions) - 737k - [Cached](#) - [Similar pages](#)

[More results from www.scribd.com »](#)

[APPARATUS AND METHOD FOR IMPLEMENTING A NETWORK PROTOCOL THAT ...](#)

ii. **deserializing** each of said variable number of **serialized** objects into said variable number of .... or some other GUI element, on the **client side** 300. ...

[www.patentmonkey.com/PM/patentid/6412010.aspx](http://www.patentmonkey.com/PM/patentid/6412010.aspx) - 162k - [Cached](#) - [Similar pages](#)

[System and method for supporting non-native data types in a ...](#)

It is desirable to provide these applications, whether **client-side**, .... Using this information, the **serialized** object 308 can be **deserialized** and provided ...

[www.freshpatents.com/System-and-method-for-supporting-non-native-data-types-in-a-database-api-dt20060907p...](http://www.freshpatents.com/System-and-method-for-supporting-non-native-data-types-in-a-database-api-dt20060907p...) - 81k - [Cached](#) - [Similar pages](#)

[\[PS\] Method Invocation Based Communication Models for Parallel ...](#)

File Format: Adobe PostScript

overhead includes the costs to **serialize** the arguments at the **client side** and **deserialize** them at the server side. The RMI overhead includes the time to ...

[www.cs.vu.nl/~jason/papers/thesis.ps.gz](http://www.cs.vu.nl/~jason/papers/thesis.ps.gz) - [Similar pages](#)

[\[PDF\] Distributed Programming and Java Slides.ppt](#)

File Format: PDF/Adobe Acrobat

4) **Serialization** of object is expected to play an increasingly important role .... machine's **application programming interface** for a specific database, ...

[www.emacao.gov.mo/documents/18/03/slides.pdf](http://www.emacao.gov.mo/documents/18/03/slides.pdf) - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

"client-side" AND "application programming in"

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

---

**Web Results 11 - 20** of about **64** for "**client-side**" AND "**application programming interface**" AND "**parameter object**" AND **serializing** AND

[dotnetinterviewqws](#)

dotnetinterviewqws. you can find interview question related to dot net questions here  
it will help to find the good job. so keep hunting and happy hunting ...  
interviewqws.blogspot.com/ - 250k - [Cached](#) - [Similar pages](#)

[\[PDF\] iSeries: Web services](#)

File Format: PDF/Adobe Acrobat  
in the **serialization and deserialization**, and invocation of the Web service. ....  
which is explicitly passed through the **application programming interface** ...  
publib.boulder.ibm.com/infocenter/iseries/v5r3/topic/rzamy/50/webserv/webserv.pdf -  
[Similar pages](#)

[\[PDF\] IBM Systems - iSeries: e-business and Web serving WebSphere ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
The **client-side** bindings and artifacts are generated. .... The webservicessclient.xml  
file is the **client-side** deployment descriptor. ...  
publib.boulder.ibm.com/infocenter/iseries/v5r4/topic/rzamy/50/webserv/webserv.pdf -  
[Similar pages](#)

[\(WO/2005/029363\) SYSTEMS AND METHODS FOR INTERFACING APPLICATION ...](#)

In addition, the **application programming interface** provides a set of  
framework ..... For example the operation of **serializing** of an Item may include ...  
www.wipo.int/pctdb/en/wo.jsp?WO=2005%2F029363&IA=WO2005%  
2F029363&DISPLAY=DESC - 813k - [Cached](#) - [Similar pages](#)

[\[PDF\] Distributed Programming with Java](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
java.io that help classes perform **serialization** for their instances. 5.3. Networking .....  
a)It starts with the API set on the **client side** that is used to ...  
www.emacao.gov.mo/documents/18/03/report21.pdf - [Similar pages](#)

[Chapter 23. Connectors](#)

**Serializing** a parameter failed if the first value passed in was NULL . .... Added  
MySQLDbType property to **Parameter object** and added proper conversion code ...  
www.ooad.org/html-chapter/connectors.html - 686k - [Cached](#) - [Similar pages](#)

[Chapter 25. Connectors](#)

Now it updates the value of the existing **parameter object** if it exists. ... **Serializing** a  
parameter failed if the first value passed in was NULL . ...  
www.savs.hcc.edu.tw/~chuavv/mysql/mysql5/connectors.html - 708k -  
[Cached](#) - [Similar pages](#)

[SYSTEMS AND METHODS FOR INTERFACING APPLICATION PROGRAMS WITH AN ...](#)

A method for providing an **application programming interface** between an  
application ..... For example the operation of **serializing** of an Item may include ...  
www.wikipatents.com/ca/2532909.html - 462k - [Cached](#) - [Similar pages](#)

[\[PDF\] © 2006 by Weerasak Witthawaskul. All rights reserved.](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
A MIDDLEWARE INDEPENDENT SERVICE MODELING AND A MODEL.  
TRANSFORMATION FRAMEWORK. BY. WEERASAK WITTHAWASKUL. BE, King  
Mongkut's Institute of Technology, 1991 ...  
drweerasak.com/Documents/WeerasakWitthawaskul\_Dissertation.pdf -  
[Similar pages](#)

[Job Interview Questions: November 2007](#)

This blog contains most common interview questions from different fields,.net  
framework, ABAP interview Questions, ASP asp net interview questions ,ASP.net, ...  
interviewhelper.blogspot.com/2007\_11\_01\_archive.html - 250k -  
[Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

"client-side" AND "application programming in

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

---

Web Results 21 - 22 of 22 for "[client-side](#)" AND "[application programming interface](#)" AND "[parameter object](#)" AND [serializing](#) AND [dese](#)

[PDF] [Web Developer's Guide](#)

File Format: PDF/Adobe Acrobat

This response also is **serialized** by the server object and **deserialized**. at the **client side**. Now the client object returns the result as a normal object. ...

[www.ishiboo.com/~nirva/csharp/C%23%20Web%20Development%20-%20Syngress.pdf](#) - [Similar pages](#)

[PDF] [WebSphere Application Server - Express V6 Developers Guide and A ...](#)

File Format: PDF/Adobe Acrobat

programs conforming to the **application programming interface** for the ..... remote client view would need to **serialize and deserialize** the reference data ...

[www.redbooks.ibm.com/redbooks/pdfs/sg246500.pdf](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 22 already displayed. If you like, you can [repeat the search with the omitted results included](#).*

[Previous](#) [1](#) [2](#) [3](#)

---

"client-side" AND "application progr:

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

---

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google

"client-side" AND "api" AND "parameter object"

Search

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web** Results 1 - 10 of about 239 for **"client-side" AND "api" AND "parameter object" AND serializing AND deserializing**. (0.19 seconds)

#### User-defined datatypes

Web Services Toolkit provides a BeanSerializer class that is capable of **serializing** and **deserializing** Java objects that meet some of the basic criteria for ...

<https://awebproxyprd.ins.state.ny.us/docs/wstug/wstusersp27.htm> - 18k -

[Cached](#) - [Similar pages](#)

#### PerfectXML.com - Features of Apache SOAP 2.2

The development of a SOAP service in Java uses the **API** defined by Apache SOAP for .... Each response type sent by SOAP must be **serialized** and **deserialized** ...

[www.perfectxml.com/articles/WebSvc/ApacheSOAP22.asp](http://www.perfectxml.com/articles/WebSvc/ApacheSOAP22.asp) - 81k -

[Cached](#) - [Similar pages](#)

#### APPARATUS AND METHOD FOR IMPLEMENTING A NETWORK PROTOCOL THAT ...

As a result, the method invocation can be **serialized** and transmitted over a network as a single object, which can then be **deserialized** into its original ...

[www.patentstorm.us/patents/6412010-description.html](http://www.patentstorm.us/patents/6412010-description.html) - 49k -

[Cached](#) - [Similar pages](#)

#### Apparatus and method for a runtime method overloading resolver ...

Likewise, an object can be re-created, or **deserialized**, by passing it to a ... represents a **parameter object** in its **serialized** form (i.e., in bytes). ...

[www.patentstorm.us/patents/6415434-description.html](http://www.patentstorm.us/patents/6415434-description.html) - 69k -

[Cached](#) - [Similar pages](#)

#### Apparatus and method for a runtime method overloading resolver ...

ii. **deserializing** each of said variable number of **serialized** objects into said .... represents a **parameter object** in its **serialized** form (i.e., in bytes). ...

[www.freepatentsonline.com/6415434.html](http://www.freepatentsonline.com/6415434.html) - 80k - [Cached](#) - [Similar pages](#)

#### Combining RMI with SOAP

It's also required to define a **serialization** and **deserialization** mechanism for these complex objects. By default, the **API** provides default serializers and ...

[www2.sys-con.com/itsg/virtualcd/java/archives/0706/gupta/index.html](http://www2.sys-con.com/itsg/virtualcd/java/archives/0706/gupta/index.html) - 48k -

[Cached](#) - [Similar pages](#)

#### [doc] The Florida State University College of Arts and Sciences A Java ...

File Format: Microsoft Word - [View as HTML](#)

To this end, the Java reflection package is utilized to **serialize** and **deserialize** data structures in SOAP. With SFJ a Java program can be run and ...

[www.cs.fsu.edu/~engelen/GaoMasters.doc](http://www.cs.fsu.edu/~engelen/GaoMasters.doc) - [Similar pages](#)

#### Efficient Java RMI for Parallel Programming

the costs to **serialize** the arguments at the **client side** and **deserialize** them ...

Finally, the creation of the **parameter object** also increases the latency. ...

[portal.acm.org/citation.cfm?doid=506315.506317](http://portal.acm.org/citation.cfm?doid=506315.506317) - [Similar pages](#)

#### [ps] Efficient Java RMI for Parallel Programming

File Format: Adobe PostScript - [View as Text](#)

The **serialization** overhead includes the costs to **serialize** the arguments at the **client side** and **deserialize** them at the server side. The RMI ...

[www.cc.gatech.edu/classes/AY2002/cs6210\\_fall/papers/manta2000.ps](http://www.cc.gatech.edu/classes/AY2002/cs6210_fall/papers/manta2000.ps) -

[Similar pages](#)

#### TopXML : Java XML

The first is running a SOAP client, using the SOAP **API** to communicate with .... This means the SOAP server will need to **serialize** and **deserialize** this new ...

[www.topxml.com/java/articles/xml2nd/default.asp](http://www.topxml.com/java/articles/xml2nd/default.asp) - 78k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google

"client-side" AND "api" AND "parameter object"

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web** Results 11 - 20 of about 239 for "**client-side**" AND "**api**" AND "**parameter object**" AND **serializing** AND **deserializing**. (0.17 seconds)

[\[PS\] Ecient Java RMI for Parallel Programming](#)

File Format: Adobe PostScript - [View as Text](#)

The **serialization**. overhead includes the costs to **serialize** the arguments at the **client side** and **deserialize**. ACM Transactions on Programming Languages and ...  
[ftp://ftp.cs.vu.nl/pub/amoeba/orca\\_papers/toplas\\_manta01.ps.Z](ftp://ftp.cs.vu.nl/pub/amoeba/orca_papers/toplas_manta01.ps.Z) - [Similar pages](#)

[InterviewQuest](#)

**Serialization/Deserialization** is mostly used to transport objects (e.g. during .....  
What is the use of **parameter object**? \*\* 234.How to generate XML from a ...  
[www.scribd.com/doc/72855/InterviewQuest](http://www.scribd.com/doc/72855/InterviewQuest) - 386k - [Cached](#) - [Similar pages](#)

[SOAP Parameters and Encodings](#)

Using the standard SOAP encoding, the SOAP Java **client-side API** handles **serialization** and encoding for primitive types internally. ...  
[download.oracle.com/docs/cd/A97335\\_02/integrate.102/a90297/address.htm](http://download.oracle.com/docs/cd/A97335_02/integrate.102/a90297/address.htm) - 50k - [Cached](#) - [Similar pages](#)

[C# FAQ](#)

**Serialization/Deserialization** is mostly used to transport objects (e.g. during .....  
Explain the differences between Server-side and **Client-side** code? ...  
[www.geocities.com/santhosh0123/faq/faqcsh.htm](http://www.geocities.com/santhosh0123/faq/faqcsh.htm) - 182k - [Cached](#) - [Similar pages](#)

[Index \(Spring Web Flow 2.0-m3 API\)](#)

AbstractFlowExecutionContinuationRepository: **Deserialize** a **serialized** flow execution. .... Simple utility class for working with the java reflection **API**. ...  
[static.springframework.org/spring-webflow/docs/2.0.x/api/index-all.html](http://static.springframework.org/spring-webflow/docs/2.0.x/api/index-all.html) - 662k - [Cached](#) - [Similar pages](#)

[Dotnet FAQs](#)

**Serialization/Deserialization** is mostly used to transport objects (e.g. during .....  
Handle the **client-side** event that caused the postback and raise ...  
[dotnet-faqs.blogspot.com/](http://dotnet-faqs.blogspot.com/) - 592k - [Cached](#) - [Similar pages](#)

[Issues for Java to IDL RTF Discussion Mailing List](#)

The Java **serialization** spec requires that when a class with a ..... that **serialize** and **deserialize** correctly using Java **serialization** or RMI-JRMP would not ...  
[www.omg.org/issues/java2idl-rtf.html](http://www.omg.org/issues/java2idl-rtf.html) - 302k - [Cached](#) - [Similar pages](#)

[\[PDF\] Final Report of Project Group 421](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

to another Agent all Wrappers are **serialized** and **deserialized**. Basically .... the ObjectInfo **parameter object** into the SearchTree. Therefore it ...  
[dSPACE.hrz.uni-dortmund.de:8080/bitstream/2003/21389/1/421-Endbericht.pdf](http://dSPACE.hrz.uni-dortmund.de:8080/bitstream/2003/21389/1/421-Endbericht.pdf) - [Similar pages](#)

[Java performance tuning tips](#)

Servlets may need to **serialize** and **deserialize** HttpSession objects for ..... one remote method call with all the data combined into a **parameter object**. ...  
[www.javaperformancetuning.com/tips/rawtips.shtml](http://www.javaperformancetuning.com/tips/rawtips.shtml) - 416k - [Cached](#) - [Similar pages](#)

[Index \(MX4J API\)](#)

ObjectInputStream that can read **serialized** java Objects using a supplied .....  
CommandProcessorUtil: Creates a **parameter object** of the given type containing ...  
[mx4j.sourceforge.net/docs/api/index-all.html](http://mx4j.sourceforge.net/docs/api/index-all.html) - 250k - [Cached](#) - [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#)

[Next](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

"client-side" AND "api" AND "parameter objec

Search

[Advanced Search](#)  
[Preferences](#)The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)**Web** Results 11 - 20 of about 239 for **"client-side" AND "api" AND "parameter object" AND serializing AND deserializing**. (0.06 seconds)**[PS]** [Ecient Java RMI for Parallel Programming](#)File Format: Adobe PostScript - [View as Text](#)

The **serialization**. overhead includes the costs to **serialize** the arguments at the **client side** and **deserialize**. ACM Transactions on Programming Languages and ...  
[ftp://ftp.cs.vu.nl/pub/amoeba/orca\\_papers/toplas\\_manta01.ps.Z](ftp://ftp.cs.vu.nl/pub/amoeba/orca_papers/toplas_manta01.ps.Z) - [Similar pages](#)

[InterviewQuest](#)**Serialization/Deserialization** is mostly used to transport objects (e.g. during .....What is the use of **parameter object**? \*\* 234.How to generate XML from a ...[www.scribd.com/doc/72855/InterviewQuest](http://www.scribd.com/doc/72855/InterviewQuest) - 386k - [Cached](#) - [Similar pages](#)[SOAP Parameters and Encodings](#)Using the standard SOAP encoding, the SOAP Java **client-side API** handles**serialization** and encoding for primitive types internally. ...[download.oracle.com/docs/cd/A97335\\_02/integrate.102/a90297/address.htm](http://download.oracle.com/docs/cd/A97335_02/integrate.102/a90297/address.htm) - 50k -[Cached](#) - [Similar pages](#)[C# FAQ](#)**Serialization/Deserialization** is mostly used to transport objects (e.g. during .....Explain the differences between Server-side and **Client-side** code? ...[www.geocities.com/santhosh0123/faq/faqcsh.htm](http://www.geocities.com/santhosh0123/faq/faqcsh.htm) - 182k - [Cached](#) - [Similar pages](#)[Index \(Spring Web Flow 2.0-m3 API\)](#)AbstractFlowExecutionContinuationRepository: **Deserialize** a **serialized** flowexecution. .... Simple utility class for working with the java reflection **API**. ...[static.springframework.org/spring-webflow/docs/2.0.x/api/index-all.html](http://static.springframework.org/spring-webflow/docs/2.0.x/api/index-all.html) - 662k -[Cached](#) - [Similar pages](#)[Dotnet FAQs](#)**Serialization/Deserialization** is mostly used to transport objects (e.g. during .....Handle the **client-side** event that caused the postback and raise ...[dotnet-faqs.blogspot.com/](http://dotnet-faqs.blogspot.com/) - 592k - [Cached](#) - [Similar pages](#)[Issues for Java to IDL RTF Discussion Mailing List](#)The Java **serialization** spec requires that when a class with a ..... that **serialize and****deserialize** correctly using Java **serialization** or RMI-JRMP would not ...[www.omg.org/issues/java2idl-rtf.html](http://www.omg.org/issues/java2idl-rtf.html) - 302k - [Cached](#) - [Similar pages](#)**[PDF]** [Final Report of Project Group 421](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)to another Agent all Wrappers are **serialized and deserialized**. Basically .... theObjectInfo **parameter object** into the SearchTree. Therefore it ...[dSPACE.hrz.uni-dortmund.de:8080/bitstream/2003/21389/1/421-Endbericht.pdf](http://dSPACE.hrz.uni-dortmund.de:8080/bitstream/2003/21389/1/421-Endbericht.pdf) -[Similar pages](#)[Java performance tuning tips](#)Servlets may need to **serialize and deserialize** HttpSession objects for ..... oneremote method call with all the data combined into a **parameter object**. ...[www.javaperformancetuning.com/tips/rawtips.shtml](http://www.javaperformancetuning.com/tips/rawtips.shtml) - 416k - [Cached](#) - [Similar pages](#)[Index \(MX4J API\)](#)ObjectInputStream that can read **serialized** java Objects using a supplied .....CommandProcessorUtil: Creates a **parameter object** of the given type containing ...[mx4j.sourceforge.net/docs/api/index-all.html](http://mx4j.sourceforge.net/docs/api/index-all.html) - 250k - [Cached](#) - [Similar pages](#)[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#)[Next](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google

"client-side" AND "api" AND "parameter objec

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web** Results 21 - 30 of about 239 for "[client-side](#)" AND "[api](#)" AND "[parameter object](#)" AND [serializing](#) AND [deserializing](#). (0.18 seconds)

[SPRING FRAMEWORK CHANGELOG](#) ===== [http://www ...](http://www...)

... implementation to BlobSerializableType, **serializing and deserializing** the ....

1.0.2 **API** jar in the classpath Package org.springframework.mail \* added ...

static.springframework.org/spring/docs/1.2.x/changelog.txt - 268k -

[Cached](#) - [Similar pages](#)

[Uses of Class java.lang.Object \(aicas JamaicaVM - API\)](#)

Returns the next **deserialized** object read from the underlying stream. .... for Java

class ReleaseParameters Release **parameter object** can be associated to ...

www.aicas.com/jamaica/doc/jamaica\_api/java/lang/class-use/Object.html -

[Similar pages](#)

[\[PDF\] Untitled](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

If necessary, we can even make the **parameter object** an interface, to allow

more .... there's no need to update **serialization and deserialization** code when ...

www.theserverside.com/articles/content/RodJohnsonInterview/JohnsonChapter4.pdf

- [Similar pages](#)

[\[PDF\] Java Language toDLMapping](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**serialization** machinery. The data required during **deserialization** is read using

the .... It returns the corresponding **client-side** exception. See "Mapping of ...

ftp://ftp.omg.org/pub/docs/ptc/99-03-09.pdf - [Similar pages](#)

[TheMSsForum.com >> Framework >> Creating A Custom Collection - The ...](#)

The problem is that the **serialization** works well, or at least it seems so, but if you

want to **deserialize** the object, you get a System. ...

www.themssforum.com/Framework/Creating-Custom-83025/ - 61k -

[Cached](#) - [Similar pages](#)

[SPRING FRAMEWORK CHANGELOG](#) ===== [http://www ...](http://www...)

... works for **deserialized** objects as well Package org.springframework.beans .... for

testing attribute **serialization** \* introduced MockFilterChain ...

fisheye1.cenqua.com/browse/~raw,r=1.578/springframework/spring/changelog.txt -

172k - [Cached](#) - [Similar pages](#)

[.Net Interview Questions](#)

Xml **Serialization Deserialization** using Base64Encoding in . .... for **client side** .

validation using java script in c#.net for maximum lenght of input, Google ...

www.scribd.com/doc/72849/Net-Interview-Questions - 737k - [Cached](#) - [Similar pages](#)

[APPARATUS AND METHOD FOR IMPLEMENTING A NETWORK PROTOCOL THAT ...](#)

ii. **deserializing** each of said variable number of **serialized** objects into .... US

Patent application referred to herein, is to use Java's Reflection **API**. ...

www.patentmonkey.com/PM/patentid/6412010.aspx - 162k - [Cached](#) - [Similar pages](#)

[Mailing list archives](#)

If it's not done here, then I have to somehow > **serialize** the > Parameter into ... and

mapping in FooLanguage, you could > **deserialize** it > there as well. ...

mail-archives.apache.org/.../200009.mbox/%

3CC3843BD1B83DD2119D79000092A7BAD405D9B6B0@platinum.allaire.com%3E

- 17k - [Cached](#) - [Similar pages](#)

[Apparatus and method for a runtime method overloading resolver](#)

ii. **deserializing** each of said variable number of **serialized** objects into said ....

represents a **parameter object** in its **serialized** form (ie, in bytes). ...

www.palmerpatent.com/CL717/component\_based\_107/

6415434\_runtime\_overloading\_resolver.html - 86k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google

"client-side" AND "api" AND "parameter objec

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web Results 31 - 40 of about 192 for "client-side" AND "api" AND "parameter object" AND serializing AND deserializing. (0.44 seconds)

[PDF] [University of New South Wales](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

complex, where the SOAP **serialization** and **de-serialization** process has to deal with ..... tion so (**deserialized**) data can be cleaned up without a hassle. ...  
[www.financeit.unsw.edu.au/docs/RobertThesis.pdf](#) - [Similar pages](#)

[PDF] [\\$ \(Dollar sign\), \\$ & entire match symbol, 83 \\$ \(Dollar sign\), Regex ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Client side** objects, in remoting, 463. CloseMainWindow method of Process, preferred .... **Deserialization**. See **Serialization/deserialization** ...  
[www.informit.com/content/images/032117352X/index/archerindex.pdf](#) - [Similar pages](#)

[PDF] [Distributed Programming and Java Slides.ppt](#)

File Format: PDF/Adobe Acrobat

a) It starts with the **API** set on the **client side** that is used to ..... 4) **Serialization** of object is expected to play an increasingly important role ...  
[www.egov.iist.unu.edu/cegov/content/download/343/4580/file/Distributed-Programming-with-Java--Slides.pdf](#) - [Similar pages](#)

[TheMSsForum.com >> Winforms >> GDI object count - The Microsoft ...](#)

If I call an **API** which returns built in data type such as string, ...

**Serialization**.Formatters.Binary.ObjectReader.**Deserialize**(Head erHandler handler, ...  
[www.themssforum.com/Winforms/object-count/](#) - 57k - [Cached](#) - [Similar pages](#)

[PDF] [Java™ API for XML-based RPC JAX-RPC 1.1](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A WSDL-to-Java mapping tool generates **client side** artifacts (includes stub class, ... to the corresponding SOAP message; **serialization and deserialization** ...  
[sod.tagus.ist.utl.pt/SD-Web/PDF\\_Essentials/jaxrpc-1\\_1-mrd-spec.pdf](#) - [Similar pages](#)

[PDF] [Generic clients supported by Web Services](#)

File Format: PDF/Adobe Acrobat

The use of SOAP is primarily related to object **serialization**. ... SOAP messages are **deserialized** into **client-side** runtime object which is just the ...  
[www2.imm.dtu.dk/pubdb/views/edoc\\_download.php/5226/pdf/imm5226.pdf](#) - [Similar pages](#)

[R-Index \(aicas JamaicaVM - API\)](#)

Jamaica Realtime Specification for Java class ReleaseParameters Release **parameter object** can be associated to schedulable objects by passing an instance of ...  
[www.aicas.com/jamaica/doc/jamaica\\_api/index-files/index-18.html](#) - 250k - [Cached](#) - [Similar pages](#)

[PDF] [User's Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**serializing, and deserializing**. Chapter 7, "Using the Sybase .... Javadoc located in the Webservices/docs/api directory in your EAServer. installation. ...  
[download.sybase.com/pdfdocs/eag0410e/wstusers.pdf](#) - [Similar pages](#)

[Index \(Axis2 API\)](#)

This is a MessageReceiver which is used on the **client side** to accept the messages ..... DescriptionBuilder: Gets the **Parameter object** from the OM. ...  
[ws.apache.org/axis2/1\\_0/api/index-all.html](#) - [Similar pages](#)

[PDF] [.NET Interview questions](#)

File Format: PDF/Adobe Acrobat

So what you do is first **serialize** the object then **deserialize** back. to a complete new copy. .... we are using the **parameter object** of the command object. ...

<http://www.google.com/search?q=%22client-side%22+AND++%22api%22+AND+%22parameter+object...> 1/21/2008



[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google

"client-side" AND "api" AND "parameter objec

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

---

**Web** Results **41 - 50** of about **192** for **"client-side" AND "api" AND "parameter object" AND serializing AND deserializing**. (0.16 seconds)

[\[PS\] Method Invocation Based Communication Models for Parallel ...](#)

File Format: Adobe PostScript

overhead includes the costs to **serialize** the arguments at the **client side** and **deserialize**. them at the server side. The RMI overhead includes the time to ...  
[www.cs.vu.nl/~jason/papers/thesis.ps.gz](#) - [Similar pages](#)

[Uses of Class java.lang.String \(Java 2 Platform SE 5.0\)](#)

Returns the name of the algorithm associated with this **parameter object**. ..... Use  
`getClassLoader` to obtain the class loader for **deserialization**. ...

[java.sun.com/j2se/1.5.0/docs/api/java/lang/class-use/String.html](#) - [Similar pages](#)

[Part 3: JavaScript Programming With Dojo and Dijit](#)

or some complex keyword **parameter object**. The `dojo.data.api.Read` ..... The following example shows date **serialization and deserialization** mapping: ...  
[dojotoolkit.org/book/export/html/969](#) - 977k - [Cached](#) - [Similar pages](#)

[Index \(Spring Framework API 2.0\)](#)

`MockHttpSession`: **Deserialize** the attributes of this session from a state object ..... the given **parameter object**, converting it from a String if necessary. ...  
[docs.huihoo.com/javadoc/spring/2.0/index-all.html](#) - [Similar pages](#)

[Joomla! 1.5 Documentation](#)

`Auth_OpenID_Association::deserialize()` in `Association.php`. Parse an association as stored by `serialize()`. This is the inverse of `serialize`. Method destroy ...  
[api.joomla.org/elementindex.html](#) - [Similar pages](#)

[BEAST - BSE ChangeLog](#)

[hc]: **serialization/deserialization** layer which allows GslGlue to be used from remote ..... fixed a couple of bugs in the initial **parameter/object** ...  
[beast.gtk.org/log-bse](#) - 936k - [Cached](#) - [Similar pages](#)

[Using dojo.data](#)

In addition, `dojo.data` is an **API** that other users can write to, .... Revert should only revert the store items on the **client side** back to the point the ...  
[dojo.xnet.org/book/export/html/1097](#) - 161k - [Cached](#) - [Similar pages](#)

[FreeVBCode.com: Search Results](#)

**Serializes/Deserialize** COM Objects to/from XML\* Streaming XML News, Weather, and Stock Quote ..... **Client-Side** Validation of HTML Form Data Using VB Script ...  
[www.freevbcode.com/searchresults.asp](#) - 347k - [Cached](#) - [Similar pages](#)

[\[PDF\] Service Pack Readme \(Adapt\)](#)

File Format: PDF/Adobe Acrobat

message appears: "Could not get **deserialization** from storage token." ..... The "Stack Overflow" error is issued from the **client-side** JavaScript. ...  
[ftp1.businessobjects.com/outgoing/CMS/boXllin\\_en\\_sp3.pdf](#) - [Similar pages](#)

[\[PDF\] IBM WebSphere Application Server - Express, Version 6.0.2: Tuning ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**v Serialization and deserialization** runtime is enhanced to cache ..... **parameter object** itself. This can be expensive because the ORB must first make a ...  
[ftp://ftp.software.ibm.com/software/webserver/appserv/library/v60/wasv602ex\\_tune.pdf](#) - [Similar pages](#)

---

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#)

[Next](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

"client-side" AND "api" AND "parameter objec

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web** Results **51 - 60** of about **192** for **"client-side" AND "api" AND "parameter object" AND serializing AND deserializing.** (0.14 seconds)

**[PDF]** [Java Web Services](#)

File Format: PDF/Adobe Acrobat

A Java code generation model for **client-side** stubs and server-side tie ..... maintaining a list of **serialization and deserialization** classes for each ...  
[www.mmg.tu-sofia.bg/JavaWebServices/OREilly-JavaWebServices.pdf](#) - Similar pages

**FishEye:** [file springframework/spring/changelog.txt](#)

493, \* @Configurable works for **deserialized** objects as well .... and "deserializeState" methods to MockHttpSession, for testing attribute **serialization** ...  
[fisheye1.cenqua.com/browse/springframework/spring/changelog.txt?r=1.578](#) - Similar pages

**[PS]** [ZSI: The Zolera Soap Infrastructure](#)

File Format: Adobe PostScript - [View as Text](#)

Any local data to be sent back to the client is **serialized**. .... **deserialize** the response. Here is a sample server-side implementation: ...  
[fresh.t-systems-sfr.com/.../exchange4linux-all-3.1.10.0.0.446.500/ZSI-1.6.0/doc/zsi.ps](#) - Similar pages

**YOU, ME AND MICROSOFT: Webservices Questions**

**Deserialization** is the process of using the **serialized** state information to reconstruct .... A proxy is then created on the **client side** using the ObjRef. ...  
[braghu.blogspot.com/2006/11/webservices-questions.html](#) - 96k - Cached - Similar pages

**PROGRAMMING**

For one, the **client-side** script emitted by the validation controls used the ..... overhead incurred when **serializing** or **deserializing** view state data that ...  
[www.google.com/notebook/public/17291064372518697787/BDRdQSwoQ7-WS9bQh](#) - 551k - Cached - Similar pages

**[PDF]** [Distributed Programming with Java](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

java.io that help classes perform **serialization** for their instances. 5.3. Networking .....  
a)It starts with the **API** set on the **client side** that is used to ...  
[www.emacao.gov.mo/documents/18/03/report21.pdf](#) - Similar pages

**Index (Tapestry 4.1.4-SNAPSHOT API)**

Wiring of form event handlers is now managed on the **client side**. ..... classes that deal with **serializing / deserializing** different types of data. ...  
[tapestry.apache.org/tapestry4.1/apidocs/index-all.html](#) - Similar pages

**[PDF]** [MapXtreme 2005 v6.7 Developer Guide](#)

File Format: PDF/Adobe Acrobat

A **client-side** tool class that inherits from MapInfo.WebControls.WebTool. .... The proper method of **serializing/deserializing** the ADO. ...  
[reference.mapinfo.com/software/mapxtreme\\_windows/english/2005\\_6\\_7/MapXtreme2005\\_67\\_DeveloperGuide.pdf](#) - Similar pages

**[PDF]** [User's Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**serializing, and deserializing**. Chapter 8, "Using the Sybase .... Javadoc located in the Webservices\docs\api directory in your EAServer. installation. ...  
[download.sybase.com/pdfdocs/eag0420e/wstusers.pdf](#) - Similar pages

**[PDF]** [Technology Paper No. 8: C++ Communication Library Reference](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The "C++ Communication Library" is. Copyright (c) 1996, 1997. Chair of Process Control Engineering,. Aachen University of Technology. All rights reserved. ...

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

"client-side" AND "api" AND "parameter object"

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web** Results **91 - 100** of **100** for **"client-side" AND "api" AND "parameter object" AND serializing AND deserializing**. (0.06 seconds)

[dotnetrelated: December 2007](#)

Whether **client-side** or server-side validations are better .... What is Async in XML **api** which version of XML parser u worked with. - Types of ASP objects ...  
[dotnetrelated.blogspot.com/2007\\_12\\_01\\_archive.html](#) - 250k -  
[Cached](#) - [Similar pages](#)

[Appendix E. MySQL Change History](#)

Plugin **API**: MySQL 5.1 adds support for a very flexible plugin **API** that enables .....  
**Serializing** a parameter failed if the first value passed in was NULL . ...  
[docs.huihoo.com/mysql/refman-5.1-en/news.html](#) - 932k - [Cached](#) - [Similar pages](#)

[A](#)

RhBase64: Attempts to decode Base64 data and **deserialize** a Java Object within.  
..... by the **client-side** driver to implement the JDBC ParameterMetaData **API**. ...  
[farrago.sourceforge.net/api/index-all.html](#) - [Similar pages](#)

[\[GZIP\] From do-not-reply at jboss.com Wed Nov 1 00:03:14 2006 From: do ...](#)  
File Format: Gzip Archive  
We debugged the deadlock again and found out that during **serialization** of ..... in  
something it was trying to **deserialize**. tcpmonitor/ethereal shows the ...  
[lists.jboss.org/pipermail/jboss-user/2006-November.txt.gz](#) - [Similar pages](#)

[\[root\] Log of /trunk/base](#)

Changing all TSocket::Send on **client side** to Broadcast. .... where we make sure  
that the kIsOnHeap bit is set (always true for **deserialized** objects). ...  
[root.cern.ch/viewvc/trunk/base/?view=log](#) - [Similar pages](#)

[Appendix D. MySQL Change History](#)

Fixed a bug in **client-side** conversion of string column to MYSQL\_TIME application  
buffer (prepared statements **API**). (Bug#4030) ...  
[www.pagepi.com/mysql/news.php](#) - [Similar pages](#)

[Vasu Rayapati: What's New in SQL Server 2005](#)

What's New in SQL Server 2005. On This PageEnterprise Data  
ManagementDeveloper ProductivityBusiness IntelligenceUpgrading to SQL Server  
2005Next ...  
[rvasurayapati.blogspot.com/2007/03/whats-new-in-sql-server-2005.html](#) - 154k -  
[Cached](#) - [Similar pages](#)

[YOU, ME AND MICROSOFT](#)

Blog Archive. ▾ 2007 (1). ▾ June (1). This is very good site for Grid View check this  
o... ► 2006 (3). ► November (3). What's New in SQL Server 2005 ...  
[braghu.blogspot.com/">braghu.blogspot.com/](#) - 174k - [Cached](#) - [Similar pages](#)

[\[PDF\] WebSphere Application Server - Express V6 Developers Guide and A ...](#)

File Format: PDF/Adobe Acrobat  
getParameterDataObject to get **parameter object** to insert real values ..... remote  
client view would need to **serialize and deserialize** the reference data ...  
[www.redbooks.ibm.com/redbooks/pdfs/sg246500.pdf](#) - [Similar pages](#)

[ADO.Net « prabhat.net](#)

So the first time you **serialize** or **deserialize** an object of a given type in an  
application ..... Even though it is specified to be a **client-side** Recordset, ...  
[prabhat007.blog.com/ADO.Net/](#) - 788k - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 100 already displayed.  
If you like, you can repeat the search with the omitted results included.*

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google

"client-side" AND "api" AND "parameter objec

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web** Results **81 - 90** of about **192** for **"client-side" AND "api" AND "parameter object" AND serializing AND deserializing**. (0.08 seconds)

### Index (Core Library 4.1.0-SNAPSHOT API)

Wiring of form event handlers is now managed on the **client side**. ...

ComponentEventProperty: Adds a listener to the specified **client side** event. ...

tapestry.apache.org/tapestry4/apidocs/index-all.html - 250k - [Cached](#) - [Similar pages](#)

### Chapter 19. Connectors

When you are coding with the ADO **API** and MyODBC, you need to pay attention to some ..... Added MySQLDbType property to **Parameter object** and added proper ...

grimaag.univ-ag.fr/~jcbrouze/documents/mysql/mysql-41-man/connectors.html -

686k - [Cached](#) - [Similar pages](#)

### [PDF] Web Developer's Guide

File Format: PDF/Adobe Acrobat

This response also is **serialized** by the server object and **deserialized**. at the **client side**. Now the client object returns the result as a normal object. ...

www.ishiboo.com/~nirva/csharp/C%23%20Web%20Development%20-%

20Syngress.pdf - [Similar pages](#)

### Chapter 25. Connectors

Now it updates the value of the existing **parameter object** if it exists. ... **Serializing a parameter** failed if the first value passed in was NULL . ...

www.savs.hcc.edu.tw/~chuavv/mysql/mysql5/connectors.html - 708k -

[Cached](#) - [Similar pages](#)

### [PDF] © 2006 by Weerasak Witthawaskul. All rights reserved.

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A MIDDLEWARE INDEPENDENT SERVICE MODELING AND A MODEL.

TRANSFORMATION FRAMEWORK. BY. WEERASAK WITTHAWASKUL. BE, King

Mongkut's Institute of Technology, 1991 ...

drweerasak.com/Documents/WeerasakWitthawaskul\_Dissertation.pdf -

[Similar pages](#)

### [PDF] Efficient Java-Centric Grid-Computing

File Format: PDF/Adobe Acrobat

The **serialization** overhead includes the costs to **serialize** the arguments at the **client side**. and **deserialize** them at the server side. ...

www.cs.vu.nl/~rob/thesis/thesis.pdf - [Similar pages](#)

### [PDF] Destination .NET:Migrating toVisual Basic .NET

File Format: PDF/Adobe Acrobat

classes that support **serializing and deserializing** any . ..... ways of creating a

**Parameter object**: you can use the Parameter's constructor, ...

aspnet.codeguru.pl/books/x0948685a.pdf - [Similar pages](#)

### : Index

**deSerialize()** - Method in class com.adventnet.snmp.snmp2. .... HttpClient. This class acts as the **client side api** for Http connector. ...

www.adventnet.com/products/javaagent/help/mp\_agent/javadocs/index-all.html -

[Similar pages](#)

### [PDF] Tuning guide

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the parameter passes rather than the **parameter object** itself. .... **serialization and deserialization** calls. See Work area partition service for further ...

ftp://ftp.software.ibm.com/software/

webserver/appserv/library/v61/wasv610exp\_i\_tune.pdf - [Similar pages](#)

### (WO/2005/029314) STORAGE PLATFORM FOR ORGANIZING, SEARCHING, AND ...

For example the operation of **serializing** of an Item may include ..... a **Parameter object** with a name and value. public Parameter (string name, ...

http://www.google.com/search?q=%22client-side%22+AND++%22api%22+AND+%22parameter+object... 1/21/2008